

KAWAZOE et al.  
Serial No.: 10/021,025  
Amendment dated November 24, 2003  
Reply to Office Action dated August 26, 2003

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of claims in the application. By the present amendment, claims 1-4 and 6 are canceled without prejudice or disclaimer as to the subject matter contained therein. Claims 5, 7 and 8 are amended to depend from allowable claim 11.

**Listing of Claims:**

Claims 1-4. (*Canceled*)

Claim 5. (*Currently Amended*) A piezoelectric actuator as set forth in claim [[1]] 11, wherein the insulating member is adhered to the inner wall of the case.

Claim 6. (*Canceled*)

Claim 7. (*Currently Amended*) A piezoelectric actuator as set forth in claim [[1]] 11, wherein the maximum thickness of the insulating member is no more than 0.3 mm.

Claim 8. (*Currently Amended*) A piezoelectric actuator as set forth in claim [[1]] 11, wherein the piezoelectric actuator is incorporated in an injector and drives the injector.

OK  
KBA  
10/12/03

KAWAZOE et al.

Serial No.: 10/021,025

Amendment dated November 24, 2003

Reply to Office Action dated August 26, 2003

Claim 9. (*Previously Presented*) A piezoelectric actuator using a laminated piezoelectric device having alternately layered piezoelectric layers and electrode layers comprising:

a metal case provided on the outside of the side surface of the piezoelectric device; and

an insulating member provided between the piezoelectric device and the case, said insulating member being made of a piece separate from the piezoelectric device, wherein said insulating member comprises a paper or resin sheet wound around the piezoelectric device.

Claim 10. (*Previously Presented*) A piezoelectric actuator as set forth in claim 9, wherein at least overlapped portions of the wound sheet are adhered to each other.

Claim 11. (*Previously Presented*) A piezoelectric actuator using a laminated piezoelectric device having alternately layered piezoelectric layers and electrode layers comprising:

a metal case provided on the outside of the side surface of the piezoelectric device; and

KAWAZOE et al.

Serial No.: 10/021,025

Amendment dated November 24, 2003

Reply to Office Action dated August 26, 2003

an insulating member provided between the piezoelectric device and the case, said insulating member being made of a piece separate from the piezoelectric device;

wherein the piezoelectric device has a polygonal or barrel-shaped cross section perpendicular to its extending-and-contracting direction.